

(FILE 'HOME' ENTERED AT 14:46:46 ON 02 OCT 2009)

FILE 'MEDLINE, CAPLUS, EMBASE, BIOSIS, BIOTECHNO' ENTERED AT 14:47:45 ON
02 OCT 2009

L1 272 S ("YIP PING"/AU OR "YIP PING F"/AU OR "YIP PING K"/AU OR "YIP
L2 235 S ("YIP P"/AU OR "YIP P F"/AU OR "YIP P K"/AU OR "YIP P K DR"/A
L3 507 S L1 OR L2
L4 0 S L3 AND (ALLELIC RATIO)
L5 7 S L3 AND MASS SPECTROMETER
L6 0 S TWICE(2W)WIDTH(3W)GAUSSIAN
L7 0 S TWICE(W)WIDTH(10W)GAUSSIAN
L8 0 S TWICE(20W)WIDTH(20W)GAUSSIAN
L9 328 S ALLELIC RATIO
L10 5423 S (MAXIMUM ENTROPY) OR (MAXENT)
L11 69 S NOISE PROFILE
L12 11 S MASS SPECTROMETER AND L10
L13 30 S L10 AND COMPRESSION
L14 78974 S MASS SPECTROMETER
L15 66 S PEAK PROBABILITY
L16 464 S WIDTH(3W)GAUSSIAN
L17 14 S (TWO OR "2") (10W) L16

=>